

PRODUCT DATA

HOUGHTO-GRIND 03

A GRINDING OIL FORMULATED FOR SUPERIOR FINISH

Houghto-Grind 03 is a special adaptation of a highly effective grinding oil used extensively throughout Europe. The combination of lubricity agents, an effective inhibitor package and single cut base oil make it an ideal multi-application fluid.

High production to dressing ratios can be expected as a norm while using **Houghto-Grind 03**. Low surface roughness and full surface integrity is to be expected. To maintain surface quality, **Houghto-Grind 03** can be filtered without altering product chemistry or efficacy.

TYPICAL PHYSICAL PROPERTIES:

Appearance	Light amber liquid
Viscosity, 100°F	40 SUS
Pounds per Gallon	7.35

SHIPPING INFORMATION

Houghto-Grind 03 is available in 55 (U.S.) gallon (208 liter) drums, 345 gallon liqua-bins, or bulk shipment

SHELF LIFE

Under normal conditions, the recommended shelf life for **Houghto-Grind 03** is twelve (12) months.



Houghton International Inc.

Madison and Van Buren Ave., P. O. Box 930, Valley Forge, PA 19482-0930

(610) 666-4000 Telefax (610) 666-1376

SHIPPING CLASSIFICATION

Petroleum oil or grease NOS

STORAGE/HANDLING/DISPOSABILITY

No health or safety hazards exist when **Houghto-Grind 03** is stored, used and disposed of in accordance with instructions given on the Material Safety Data Sheet for this product.

WARRANTY

The information given here is considered to be correct and is offered for your consideration, investigation and verification. No warranties are expressed or implied, since the use of our products is beyond our control. Statements concerning the use of Houghton products are not to be construed as recommending the infringement of any patent.

EXPORT STATEMENT

This commodity and its technology are subject to the export control laws and regulations of the United States Government. Buyer agrees that it shall not make any disposition, by way of export, diversion, transshipment, re-export or otherwise, except as expressly permitted under United States law.

6/01