

# PRODUCT DATA

## RUST VETO® 210-CS

### LIGHT OIL RUST PREVENTIVE AND SLUSHING COMPOUND FOR DRY OR WET PARTS

**Rust Veto 210-CS** is a straight oil type rust preventive that displaces and separates water. The product exhibits a light oily film and offers up to one year of indoor rust protection.

#### **NON-SOLVENT**

This rust preventive does not contain solvents and with a typical flash point of 285°F reduces the flammability hazard. The film can remain on treated parts, where subsequent lubrication with a light oil will be required, or it can be easily removed by conventional solvent or alkaline cleaners.

#### **FEATURES**

- ◆ High flash - 285°F
- ◆ Displaces water
- ◆ Separates water
- ◆ Excellent humidity rust protection
- ◆ Easily removed
- ◆ Barium-free



**Houghton International Inc.**

Madison and Van Buren Ave., P. O. Box 930, Valley Forge, PA 19482-0930  
(610) 666-4000 Telefax (610) 666-1376



**TYPICAL PHYSICAL AND PROTECTIVE PROPERTIES**

Appearance	Light amber fluid
Specific Gravity	0.860
Viscosity at 100°F SUS (38°C)	50 SUS
Flash Point, C.O.C.	285°F
Film Thickness	0.26 mls
Film Type	Light, oily
Water Displacement	Passes
Water Separation	Passes
Humidity at 120°F/100% RH Polished Panels	Passes 30+ days

**SHIPPING INFORMATION**

**Rust Veto 210-CS** is shipped in 55 (U.S.) gallon (208 liter) steel drums and in bulk.

**SHIPPING CLASSIFICATION**

Petroleum Oil NOS

**STORAGE/HANDLING/DISPOSABILITY**

No health or safety hazards exist when **Rust Veto 210-CS** is stored, used and disposed of in accordance with instructions given on the Material Safety Data Sheet for this product.

**WARRANTY**

The information given here is considered to be correct and is offered for your consideration, investigation and verification. No warranties are expressed or implied since the use of our products is beyond our control. Statements concerning the use of Houghton products are not to be construed as recommending the infringement of any patent.

**EXPORT STATEMENT**

This commodity and its technology are subject to the export control laws and regulations of the United States Government. Buyer agrees that it shall not make any disposition, by way of export, diversion, transshipment, re-export or otherwise, except as expressly permitted under United States law.

**3/02**