

PRODUCT DATA

CERFA-KLEEN 5361

Cerfa-Kleen 5361 is a low foaming emulsifiable concentrate with excellent cleaning capability and the ability to provide indoor rust protection. **Cerfa-Kleen 5361** is primarily used in single or two stage washers and occasionally in soak cleaning operations. **Cerfa-Kleen 5361** was designed to provide low foaming in a temperature range of ambient to 180°F.

TYPICAL PHYSICAL & CHEMICAL PROPERTIES

Appearance, Concentrate	Clear, amber liquid
Flash Point	260°F (COC)
Odor	Bland
Chemical Composition	Blend of petroleum hydrocarbons, surfactants and emulsifiers
Pounds per Gallon	6.9
Rinsability	Leaves a light protective film on work
pH (2%)	9.0 - 9.8
Normal Operating Temperatures	Ambient - 180°F
Normal Working Concentrations	1 - 10% by volume



Houghton International Inc.

Madison and Van Buren Ave., P. O. Box 930, Valley Forge, PA 19482-0930
(610) 666-4000 Telefax (610) 666-1376

TYPICAL APPLICATIONS

In a one stage spray washer, **Cerfa-Kleen 5361** is normally used at 1-4% in water at ambient - 180°F for the removal of light soils and chips, and to provide a light rust protective film.

In two stage washers, **Cerfa-Kleen 5361** can be used in both stages, with 2-3% concentration in the first stage and 1-2% in the second stage.

Cerfa-Kleen 5361 should be used at 8-10% in a soak tank operation at a temperature range of ambient - 180°F.

SHELF LIFE

Approximately one (1) year

SHIPPING INFORMATION

Cerfa-Kleen 5361 is shipped in 55 (U.S.) gallon (208 liter) drums.

SHIPPING CLASSIFICATION

Cleaning Compound - Liquid

STORAGE/HANDLING/DISPOSABILITY

No health or safety hazards exist when **Cerfa-Kleen 5361** is stored, used and disposed of in accordance with instructions given on the Material Safety Data Sheet for this product.

WARRANTY

The information given here is considered to be correct and is offered for your consideration, investigation and verification. No warranties are expressed or implied, since the use of our products is beyond our control. Statements concerning the use of Houghton products are not to be construed as recommending the infringement of any patent.

EXPORT STATEMENT

This commodity and its technology are subject to the export control laws and regulations of the United States Government. Buyer agrees that it shall not make any disposition, by way of export, diversion, transshipment, re-export or otherwise, except as expressly permitted under United States law.

9/01